



**ASEAN
BIOLOGICAL THREATS
SURVEILLANCE CENTRE**

Morbidity and Mortality Weekly Report (MMWR)

Infectious & Emerging Diseases
in the ASEAN Region

With Support by:



Korea Disease Control and
Prevention Agency



in partnership with
Canada



Kemenkes



ASSOCIATION
OF SOUTHEAST
ASIAN NATIONS

This report aims to provide the current situation on infectious and emerging diseases in the ASEAN Region. We collate various information from multiple official sources and publicly available sources and is published every week on Wednesday. ABVC follows Epi-week calendar in its publication. For feedback and/or suggestions, please write to support@aseanbiosurveillance.org

Editorial

ASEAN SECRETARIAT

Assistant Director and Head of Health Division
Human Development Directorate

ASEAN Socio-Cultural Community Department

Jennifer Frances dela Rosa, MPH, MSc HPPF

Programme Coordinator (Health Security)

Mitigation of Biological Threats (MBT) Programme

Michael Glen, MSSc

EDITORIAL TEAM

Editor-in-Chief

Abdurrahman, MPH

Managing Editor

Aldilas Achmad Nursetyo, MD, MS

Associate Editor

Abdul Haris Ibrahim, MHI

Habibi Rohman Rosyad, MSc

Nindy Fadellah Wulan, MPH

Copy Editor

Ajeng Sekar Pratiwi, A.Md

Dwi Sasongko, A.Md.

Supporting Staff

Svetlana Pratiwi, SKM

Divva Kaamila, S.Tr.Kom

Natasha Alicia Putri, S.Tr.Kom

PUBLISHER

ASEAN Biological Threat Surveillance Centre

Health Policy Agency

Ministry of Health of Indonesia

Jl. Percetakan Negara No. 29 Johar Baru, Central Jakarta, Indonesia 10560

E-mail: support@aseanbiosurveillance.org

Facebook: <https://www.facebook.com/abvc.official/>

Instagram: <https://www.instagram.com/abvc.official/>

Table of Contents

Executive Summary.....	2
Emerging Diseases.....	3
Mpox.....	4
COVID-19.....	8
Influenza	10
Avian Influenza (H5N1).....	12
Hantavirus.....	12
Legionellosis	12
Meningococcal Disease	13
Poliomyelitis	13
Zoonosis.....	14
Rabies	15
Vector-borne Diseases	16
Dengue	17
Malaria.....	19
Vaccine-preventable Diseases.....	20
Measles	21

Executive Summary

Epidemiological Week 35 (August 30 – September 5, 2026)

- Reported infectious-disease activity was concentrated in dengue and malaria. Rabies and measles cases continued to be reported, while COVID-19 and influenza indicators were generally stable or declining.
- **COVID-19:** The report records 108,068 cases in 2026 with a CFR of 0.01% and notes lower reported activity than in 2025. Genomic surveillance showed heterogeneous circulation of Omicron lineages, with no single lineage predominating across the region.
- **Dengue:** As many as 27,167 new cases were reported. The 2026 cumulative total reached 457,712 cases and 931 deaths (CFR: 0.20%). Seasonal patterns varied among Member States, and some reported data may be delayed.
- **Malaria:** There are 22,812 new cases, 552,583 cumulative cases, and 240 deaths (CFR: 0.04%). Indonesia and Myanmar accounted for most newly reported cases, with 11,823 and 10,918, respectively. These figures differ from the narrative key findings and require validation.
- **Rabies:** Seven new cases were reported—five in the Philippines and two in Myanmar. The cumulative total was 399 cases and 398 deaths (CFR: 99.75%). Access to post-exposure prophylaxis, animal-bite management, dog vaccination, and bite-prevention measures should be maintained.
- **Measles:** 100 new cases brought the cumulative total to 10,084 cases (CFR: 0.05%). Case investigation, vaccination-coverage assessment, and catch-up immunisation should continue in affected populations.
- **Influenza:** Activity was generally low, with reduced influenza-like illness and severe acute respiratory infection indicators in several Member States. The surveillance dataset was reported as one week pending.
- **Meningococcal Disease:** One new case was reported in Thailand. Cumulatively, 104 cases and 33 deaths (CFR: 31.73%) were reported in the ASEAN region.
- No new cases were reported for mpox, avian influenza A(H5N1), hantavirus, or poliomyelitis for this week.

Emerging Diseases

A person wearing a full-body white protective suit, including a hood and a face mask with a mesh filter. They are holding a black, cylindrical object in their gloved hand. The background is a blurred laboratory or clinical setting.

MPOX

Mpox Cases Reported in the ASEAN Region

January 1, 2025 – September 5, 2026



Source:

1. Ministry of Health Cambodia
2. Ministry of Health Republic of Indonesia (<https://infeksiemerging.kemkes.go.id>)
3. WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpx_global/)
4. Communicable Disease Agency, Ministry of Health Singapore, accessed September 8, 2026, <https://www.cda.gov.sg/resources/weekly-infectious-diseases-bulletin-2025/>

Key Findings

- The number of Mpox cases from January 1 to September 5, 2026, are **280 cases** with **three deaths**.
- There were **no new cases of Mpox** in Epi-week 35 of 2026.
- **67,266 confirmed cases** of mpox have been reported in **other regions** since 2025 (other than the **ASEAN** region):

Mpox cases in the ASEAN region in 2025 and 2026 (as of September 5, 2026)

ASEAN Member States	Cumulative Cases in 2025	Cumulative Deaths in 2025 (CFR)	Cumulative Cases in 2026	New Cases in Epi-week 35	Cumulative Deaths in 2026 (CFR)
Cambodia¹	0	0 (0.00%)	0	0	0 (0.00%)
Indonesia²	0	0 (0.00%)	88	0	0 (0.00%)
Lao PDR³	0	0 (0.00%)	0	0	0 (0.00%)
Malaysia³	14	0 (0.00%)	4	0	0 (0.00%)
Philippines³	286	6 (2.10%)	63	0	1 (1.59%)
Singapore⁴	23	0 (0.00%)	35	0	0 (0.00%)
Thailand³	157	3 (1.91%)	90	0	2 (2.22%)
Vietnam³	2	0 (0.00%)	0	0	0 (0.00%)
ASEAN Total	482	9 (1.87%)	280	0	3 (1.07%)

Source:

1. Ministry of Health Cambodia
2. Ministry of Health Republic of Indonesia (<https://infeksiemerging.kemkes.go.id>)
3. WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpx_global/)
4. Communicable Disease Agency, Ministry of Health Singapore, accessed September 8, 2026, <https://www.cda.gov.sg/resources/weekly-infectious-diseases-bulletin-2025/>

Top 5 countries with the most mpox cases globally (Jan. 1, 2025 to Sep. 5, 2026)

Country	Cumulative Cases	New Cases Since Previous Report	Cumulative Deaths	CFR
Democratic Republic of Congo	25,825	0	51	0.20%
Uganda	7,160	0	39	0.54%
Sierra Leone	5,442	0	60	1.10%
Madagascar	3,436	0	22	0.64%
United States of America	3,292	0	18	0.62%

Source: WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpox_global/)

Mpox cases per region (Jan. 1, 2025 to Sep. 5, 2026)

REGIONS	CUMULATIVE CASES 2025-2026	NEW CASES SINCE THE PREVIOUS REPORT	CUMULATIVE DEATHS	CFR
AFRICA ¹	52.424	-	235	0,45%
AMERICAS ¹	7.044	-	10	0,14%
ASEAN ¹	762	-	11	1,52%
ASIA & OCEANIA ²	2.616	-	-	0,00%
EUROPE ¹	5.182	-	3	0,06%
TOTAL	68.028	-	259	0,38%


Source:

1. WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpox_global/)

2. Our World in Data, accessed September 8, 2026 (<https://ourworldindata.org/mpox>)

Trend of Mpox Confirmed Cases in the ASEAN Region

January 1, 2022 to September 5, 2026



Source:

1. Ministry of Health Cambodia


2. Ministry of Health Republic of Indonesia (<https://infeksiemerging.kemkes.go.id>)

3. WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpox_global/)

4. Communicable Disease Agency, Ministry of Health Singapore, accessed September 8, 2026, <https://www.cda.gov.sg/resources/weekly-infectious-diseases-bulletin-2025/>


Trend of Mpox Confirmed Cases among ASEAN Member States

January 1, 2022 to September 5, 2026




Distribution of Mpox Variants in The Global

As of September 5, 2026



Source: GISAID and WHO

Distribution of Mpox Variants in the ASEAN and Neighbouring Countries and Areas As of September 5, 2026



Source:

1. Ministry of Health Cambodia
2. Ministry of Health Republic of Indonesia (<https://infeksiemerging.kemkes.go.id>)
3. WHO Mpox Outbreak: Global Trends, accessed September 8, 2026 (https://worldhealthorg.shinyapps.io/mpx_global/)
4. Communicable Disease Agency, Ministry of Health Singapore, accessed September 8, 2026, <https://www.cda.gov.sg/resources/weekly-infectious-diseases-bulletin-2025/>


COVID-19

Key Findings

- Recently, the number of **confirmed COVID-19 cases reported to ASEAN are declining** compared to the previous year.
- The number of confirmed COVID-19 cases reported from January 1 to September 5, 2026 are **128,467 cases** with **0.05 % Case Fatality rate (CFR)**.
- In August 2026, GISAID genomic surveillance for the latest week shows a heterogeneous but stable **Omicron** lineage distribution across the reporting countries. **JN.1** remains the leading lineage in Indonesia (55.89%), while **LP.8.1** predominates in the Philippines (71.76%), **KP.3** in Lao PDR (55.97%), **XBB.1.16** in Myanmar (52.26%), and **BA.3.2** in Vietnam (33.33%). Brunei Darussalam remains predominantly **BA.*** (77.32%), whereas Cambodia and Malaysia show diversified lineage profiles, led by “Other” lineages (30.34%) and **BA.*** (22.87%), respectively. Singapore shows near-equal circulation of **XFG** (19.36%), **NB.1.8.1** (18.53%), and **JN.1** (18.18%), while Thailand shows co-dominance of **BA.*** (23.24%) and **JN.1** (22.40%), followed by **NB.1.8.1** (17.58%).


ASEAN Weekly COVID-19 Cases and Deaths

From January 1, 2025 to September 5, 2026



Sources: [Singapore Government](#), [MOH Indonesia](#), [MOH Cambodia](#), [DDC Thailand](#), MOH Myanmar, [MOH Malaysia](#), and [WHO](#) accessed on September 8, 2026

COVID-19 Variants Frequencies Among the ASEAN Member States As of August 2026



Source: GISAID. "hCoV-19 Variants Dashboard," accessed September 8, 2026 , <https://gisaid.org/hcov-19-variants-dashboard/>.

COVID-19 Variants Frequencies in the ASEAN Region

From January 2023 to August 2026

Country	JN.1+JN.1.*	Omicron B.1.1.529+BA.*	XEC+XEC.*	KP.3.1.1+KP.3.1.1.*	LP.8.1+LP.8.1.*	NB.1.8.1+NB.1.8.1.*	Other
Brunei	19,70	77,32	2,98	0,00	0,00	0,00	0,00
Cambodia	5,15	23,92	0,29	2,26	14,46	6,21	30,34
Indonesia	55,89	1,60	0,00	0,00	0,00	5,94	0,00
Laos	0,00	9,18	1,04	0,00	0,93	32,19	0,00
Malaysia	12,61	22,87	5,53	1,50	1,59	8,35	13,53
Myanmar	5,09	1,45	0,00	0,00	0,00	0,46	0,00
Philippines	20,74	2,71	0,00	0,00	71,76	0,00	0,00
Singapore	18,18	8,97	7,71	5,35	9,93	18,53	0,00
Thailand	22,40	23,24	9,17	2,08	4,90	17,58	0,00
Vietnam	20,02	18,61	4,66	0,00	0,00	23,39	0,00

Source: GISAID. "hCoV-19 Variants Dashboard," accessed September 8, 2026 , <https://gisaid.org/hcov-19-variants-dashboard/>.

From January 2023 to August 2026

Country	XBB *	XFG+X FG.*	XBB.1.9.2+ XBB.1.9.2.*	KP.3+KP .3.*	BA.2.86+B A.2.86.*	BA.3.2+B A.3.2.*	LB.1+LB .1.*	XBB.1.16+X BB.1.16.*	BA.2.75+ BA.2.75.*
Brunei	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Cambodia	13,53	3,84	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Indonesia	0,00	27,08	9,50	0,00	0,00	0,00	0,00	0,00	0,00
Laos	0,00	0,71	0,00	55,97	0,00	0,00	0,00	0,00	0,00
Malaysia	2,57	6,67	0,00	3,65	7,08	11,48	2,57	0,00	0,00
Myanmar	0,00	40,74	0,00	0,00	0,00	0,00	0,00	52,26	0,00
Philippines	0,00	4,79	0,00	0,00	0,00	0,00	0,00	0,00	0,00
Singapore	0,00	19,36	0,00	3,89	0,00	5,53	1,60	0,00	0,32
Thailand	0,00	13,41	0,00	2,77	1,39	3,07	0,00	0,00	0,00
Vietnam	0,00	0,00	0,00	0,00	0,00	33,33	0,00	0,00	0,00

Source: GISAID. "hCoV-19 Variants Dashboard," accessed September 8, 2026 , <https://gisaid.org/hcov-19-variants-dashboard/>.


INFLUENZA

Key Findings

- Influenza activity was generally low across ASEAN Member States. The dataset is one week pending, so the latest Autoregressive integrated moving average (ARIMA) estimate is for 5 September 2026. The forecast uses post COVID-19 available weekly data and is shown to support short-term surveillance interpretation. Recent trends show activity declined after late-2025 peaks in several countries, with only low-level positivity persisting in some areas.

Trends of Influenza Confirmed Cases in the ASEAN region


From January 1, 2025 to September 5, 2026



Source: WHO FluNet, accessed on September 8, 2026 (<https://www.who.int/tools/fluNet>)

Trend of Influenza Cases among ASEAN Member States using ARIMA Model

September 8, 2025 to September 5, 2026




Source: WHO FluNet, accessed on September 8, 2026 (<https://www.who.int/tools/fluNet>)

- Most of Influenza-like illness (ILI) and severe acute respiratory infection (SARI) cases were decrease among some ASEAN Member States.

Trend of Influenza-like Illness (ILI) and Severe Acute Respiratory Illness (SARI) in the ASEAN Region


January 1, 2025 to September 5, 2026



Source: WHO FluID, accessed September 8, 2026 (<https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-surveillance-outputs>)

Trend of Influenza-like Illness (ILI) and Severe Acute Respiratory Illness (SARI) among ASEAN Member States

January 1, 2025 to September 5, 2026



Source: WHO FluID, accessed September 8, 2026 (<https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-surveillance-outputs>)

AVIAN INFLUENZA (H5N1)

Key Findings

- In 2026, Avian Influenza (H5N1) is found in Cambodia. In Epi-week 35, there was no new case in the ASEAN region.

Distribution of Avian Influenza (H5N1) cases in the ASEAN Region

AMS	Avian Influenza (H5N1)					
	Cumulative Cases 2025	Cumulative Deaths 2025	Epi-week 35		Period 2026	
			New Cases	New Deaths	Cumulative Cases	Cumulative Deaths
Cambodia	18	9	0	0	5	1
Viet Nam	1	0	0	0	0	0
Total	19	9	0	0	5	1

Source: [WHO](#), [Ministry of Health of Cambodia](#).

HANTAVIRUS

Key Findings

- In 2026, hantavirus is found in Indonesia. In Epi-week 35, 2026, there was no new case of Hantavirus reported.

Distribution of Hantavirus Cases in the ASEAN Region

AMS	Hantavirus					
	Cumulative Cases 2025	Cumulative Deaths 2025	Epi-week 35		Period 2026	
			New Cases	New Deaths	Cumulative Cases	Cumulative Deaths
Indonesia	18	0	0	0	6	0
Total	18	0	0	0	6	0

Source: [MoH Indonesia](#)

LEGIONELLOSIS

Key Findings

- In 2026, the legionellosis is found in Indonesia, Singapore and Thailand. In Epi-week 35, there was no new case and new death of Legionellosis reported in the region.

Distribution of Legionellosis Cases in the ASEAN Region

AMS	Legionellosis					
	Cumulative Cases 2025	Cumulative Deaths 2025	Epi-week 35		Period 2026	
			New Cases	New Deaths	Cumulative Cases	Cumulative Deaths
Indonesia	49	2	0	0	1	0
Singapore	62	0	0	0	35	0
Thailand	24	1	0	0	20	2
Total	135	3	0	0	56	2

Source: [MoH Indonesia](#), [MoH Singapore](#), [MoH Thailand](#)

MENINGOCOCCAL DISEASE

Key Findings

- In 2026, meningococcal disease is found in Indonesia, The Philippines, Singapore, Thailand, and Viet Nam. In Epi-week 35, 2026, there was one case of Meningococcal Disease reported among AMS.

Distribution of Meningococcal Disease Cases in the ASEAN Region

AMS	Meningococcal Disease					
	Cumulative Cases 2025	Cumulative Deaths 2025	Epi-week 35		Period 2026	
			New Cases	New Deaths	Cumulative Cases	Cumulative Deaths
Indonesia	0	0	0	0	1	1
Singapore	7	0	0	0	4	0
The Philippines	0	0	0	0	77	29
Thailand	39	5	1	0	21	3
Viet Nam	95	0	0	0	1	0
Total	141	5	1	0	104	33

Source: [WHO](#), [MoH Indonesia](#), [DoH Philippines](#), [MoH Singapore](#), [MoH Thailand](#)

POLIOMYELITIS

Key Findings

- In 2026, Poliomyelitis is found in Lao PDR. in Epi-week 35, there was no new case of Poliomyelitis reported.

Distribution of Poliomyelitis Cases in the ASEAN Region

AMS	Poliomyelitis					
	Cumulative Cases 2025	Cumulative Deaths 2025	Epi-week 35		Period 2026	
			New Cases	New Deaths	Cumulative Cases	Cumulative Deaths
Lao PDR	1	0	0	0	3	0
Singapore	1	0	0	0	0	0
Total	2	0	0	0	3	0

Source: [WHO](#)


Zoonosis



RABIES

Key Findings

- The **ASEAN** region reported **seven** new rabies cases in Epi-week 35, 2026.
- The total number of rabies cases from January 1 to September 5, 2026 are **399** cases with **99.75%** CFR.



Rabies cases in the ASEAN region

Country	Data as of	Cumulative Cases	New Cases Since Previous Report	Cumulative Deaths	CFR
Brunei Darussalam			<i>Rabies-free country</i>		
Cambodia	-	-	-	-	-
Indonesia¹	September 5	68	-	68	100%
Lao PDR	-	-	-	-	-
Malaysia²	June 27	5	-	5	100%
Myanmar³	September 5	82	2	82	100%
Philippines⁴	September 5	198	5	198	100%
Singapore			<i>Rabies-free country</i>		
Thailand⁵	September 5	7	0	6	85.71%
Timor-Leste	-	-	-	-	-
Viet Nam²	August 1	39	-	39	100%
Total		399	7	398	99.74%

Source:

- Ministry of Health, Republic of Indonesia
- Bluedot Platform, accessed September 8, 2026 (<https://portal.bluedot.global/>)
- Department of Public Health, Ministry of Health, Myanmar
- Department of Health, Philippines. "Epidemiology Bureau Weekly Surveillance Report", accessed September 8, 2026. (<https://doh.gov.ph/health-statistics/>)
- Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health Thailand, accessed September 8, 2026 , (https://dvis3.ddc.moph.go.th/t/DDC_CENTER_DOE/views/_Weekly/sheet13?%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=card_share_link)

Vector-Borne Diseases




DENGUE

Key Findings

- The **ASEAN** region reported **27,167** new dengue cases in Epi-week 35, 2026.
- The total number of dengue cases from January 1 to September 5, 2026 are **457,712** cases and **931** deaths with **0.20% CFR**.

Trend of Dengue cases in the ASEAN region, 2024 – 2026

Below are trend of dengue cases among ASEAN Member States since January 1, 2024 up to September 5, 2026.



Source:

- Ministry of Health, Brunei Darussalam
- WHO WPRO, "Dengue," World Health Organization, accessed September 5, 2026 (<https://www.who.int/westernpacific/emergencies/surveillance/dengue>).
- Ministry of Health, Republic of Indonesia
- Portal Rasmi iDengue untuk Komuniti, accessed September 5, 2026 (<https://idengue.mysa.gov.my/>)
- Department of Public Health, Ministry of Health, Myanmar
- Department of Health, Philippines. "Epidemiology Bureau Weekly Surveillance Report", accessed September 5, 2026. (<https://doh.gov.ph/health-statistics/>)
- Ministry of Health. "Weekly Infectious Disease Bulletin", accessed September 5, 2026. (<https://www.moh.gov.sg/resources-statistics/infectious-disease-statistics/2025/weekly-infectious-diseases-bulletin>)
- Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health Thailand, accessed September 5, 2026, (https://dvis3.ddc.moph.go.th/t/DDC_CENTER_DOE/views/Weekly/sheet137%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=card_share_link)
- Ministry of Health, Timor-Leste

- Data were updated and collected from official sources, which may have a 2-8 weeks delay in reporting. Data must be interpreted cautiously.

*Notified dengue cases only includes severe cases Dengue Hemorrhagic fever (DHF) and Dengue Shock Syndrome (DSS)

**Notified dengue cases only includes Dengue Fever (DF) and DHF


Comparison between Precipitation (Rainfall) and Dengue Cases in the ASEAN region

This summary describes the dengue fever and precipitation patterns shown in the country visualization. It focuses on observed dengue fever cases and rainfall intensity (precipitation) based on data from January 1, 2022 to September 5, 2026.

Overall, the analysis suggests that dengue activity across the countries shown is highly seasonal, with several countries experiencing case increases during or shortly after periods of elevated rainfall. This pattern is most apparent in Lao PDR, Myanmar, Thailand, Timor-Leste, and Viet Nam, where dengue peaks broadly coincide with rainy periods or follow rainfall increases. In Cambodia, a major dengue increase occurred in mid-2025, with weekly cases rising sharply to more than 3,000 following periods of increased precipitation. In Viet Nam, dengue cases rose markedly in mid-2024 alongside increasing precipitation, peaking during the wetter months before declining into 2025. Timor-Leste, with data available for early 2026, showed dengue cases peaking after relatively high rainfall early in the year, followed by a decline as precipitation decreased.

Other countries showed weaker or less consistent visual alignment. Indonesia had very high dengue activity in early 2024, followed by a gradual decline despite continued rainfall variability. Malaysia also showed a declining dengue trend over time, with rainfall spikes not consistently followed by comparable increases in cases. Singapore experienced a large dengue peak in early 2024, while later periods of high precipitation did not produce a similarly large increase. Brunei Darussalam had relatively low case counts overall, with no clear consistent relationship between rainfall and dengue activity.

Dengue Cases and Precipitation Trends among ASEAN Member States
Data from January 1, 2022 to August 29, 2026 (varies by country)




Weather Data Source: NASA POWER

MALARIA

Key Findings

- The **ASEAN** region reported **10,989** new malaria cases in Epi-week 35, 2026.
- The total number of malaria cases from January 1 to September 5, 2026 are **540,760** cases and **183** deaths with **0.03%** CFR.




Malaria cases in the ASEAN region

Country	Data as of	Cumulative Cases	New Cases Since Last Week	Cumulative Deaths	CFR
Brunei Darussalam	-	-	-	-	-
Cambodia¹	September 5	17	0	0	0.00%
Indonesia²	September 5	444,752	11,823	227	0.05%
Lao PDR	-	-	-	-	-
Malaysia	-	-	-	-	-
Myanmar³	September 5	103,862	10,918	10	0.01%
Philippines	-	-	-	-	-
Singapore⁴	August 22	25	1	0	0.00%
Thailand⁵	September 5	3,927	70	3	0.08%
Timor-Leste	-	-	-	-	-
Viet Nam	-	-	-	-	-
Total		552,583	22,812	240	0.04%

Source:

- Cambodia National Malaria Center, accessed September 8, 2026 (<https://mis.cnm.gov.kh/Dashboard>)
- Malaria Cases in Indonesia, accessed September 8, 2026 (<https://malaria.kemkes.go.id/case>)
- Department of Public Health, Ministry of Health, Myanmar
- Ministry of Health Singapore, accessed September 8, 2026 (<https://www.moh.gov.sg/others/resources-and-statistics/infectious-disease-statistics-2025-weekly-infectious-diseases-bulletin>)
- Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health Thailand, accessed September 8, 2026 (https://dvis3.ddc.moph.go.th/t/DDC_CENTER_DOE/views/Weekly/sheet137%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=card_share_link)

A close-up photograph of a person wearing a white lab coat, using a syringe to draw vaccine from a small glass vial. The person's hands are visible, and the syringe is held vertically. The background is blurred, showing a clinical setting. The text 'Vaccine- Preventable Diseases' is overlaid in large, white, bold letters on the left side of the image.

Vaccine- Preventable Diseases


MEASLES

Key Findings

- The **ASEAN** region reported **100** new measles cases in Epi-week 35, 2026.
- The total number of measles cases from January 1 to September 5, 2026 are **10,084** cases with **0.05%** CFR.

Trend of Measles cases in the ASEAN region, 2024 – 2026

Below are trend of measles cases among ASEAN Member States since January 1, 2024 up to September 5, 2026.



Source:

- Provisional Measles and Rubella Data, World Health Organization, accessed September 8, 2026 (<https://immunizationdata.who.int/global?topic=Provisional-measles-and-rubella-data&location=>)Provisional Measles and Rubella Data, World Health Organization, accessed September 8, 2026 (<https://immunizationdata.who.int/global?topic=Provisional-measles-and-rubella-data&location=>)
- Department of Public Health, Ministry of Health, Myanmar
- Ministry of Health Singapore, accessed September 8, 2026 (<https://www.moh.gov.sg/others/resources-and-statistics/infectious-disease-statistics-2025-weekly-infectious-diseases-bulletin>)
- Department of Health, Philippines. "Epidemiology Bureau Weekly Surveillance Report", accessed September 8, 2026. (<https://doh.gov.ph/health-statistics/>)
- Bureau of Epidemiology, Department of Disease Control, Ministry of Public Health Thailand, accessed September 8, 2026 (https://dvis3.ddc.moph.go.th/t/DDC_CENTER_DOE/views/_Weekly/sheet13?%3Aembed=y&%3AisGuestRedirectFromVizportal=y&%3Aorigin=card_share_link)



**ASEAN
BIOLOGICAL THREATS
SURVEILLANCE CENTRE**

Support generated by
ASEAN BIOLOGICAL THREATS SURVEILLANCE CENTRE

Email: support@biothreats.org

Facebook: [atbsc_official](#)

Instagram: [atbsc_official](#)